

Efficient-Tec International LLC.

Marker Lights Rope Lighting LED Flood Strips Flexstrips LED Light Bars LED Neon Flex Step and Aisle Lighting Wall Washers LED Street Lights

Professional LED-Lighting





LED Lightbars

LED LIGHT BARS



LED Light Bar



12=	transf. excl.		
			.625" LED spacing
19.7" total length	resin	170mA to 200mA	10" water resis. lead incl.
30 LEDs	80°		

white LL-6110-110-030
 blue LL-6110-120-030
 green LL-6110-130-030
 red LL-6110-140-030
 yellow LL-6110-150-030
 warm white LL-6110-170-030

12= power supply on pages 104 & 105

Note:
 loads > 50W require a new feed-in

High Power Light Bar



12=	transf. excl.		
			1.7" LED spacing
19.7" total length	alu. & resin	0.5W	6" water resis. lead incl.
15 LEDs	120°		

white LL-6110-110-015
 blue LL-6110-120-015
 green LL-6110-130-015
 red LL-6110-140-015
 warm white LL-6110-170-015

12= power supply on pages 104 & 105

High Power Light Bar (3 LED unit)



12=	transf. excl.		
			1.75" LED spacing
4.1" total length	alu. & resin	0.5W	
3 LEDs per unit	120°		

white LL-6112-110-003
 blue LL-6112-120-003
 green LL-6112-130-003
 red LL-6112-140-003
 warm white LL-6112-170-003

12= power supply on pages 104 & 105