

Efficient-Tec International LLC.


Marker Lights Rope Lighting LED Flood Strips Flexstrips LED Light Bars LED Neon Flex Step and Aisle Lighting Wall Washers LED Street Lights

Professional LED-Lighting



Transformers & Power Supplies

Power Supply 12VDC - 40W




L/W/H 5.1" X 3.9" X 1.6"

120~ 12=		
40W	3.5A	
.5% line load reg.		

A1-PS-2140-100-040

Power Supply 24VDC - 40W



L/W/H 5.1" X 4.9" X 1.6"

120~ 24=		
40W	2.5A	
.5% line load reg.		

A1-PS-2240-200-040

Power Supply 24VDC - 60W




L/W/H 5.1" X 4.9" X 1.5"

120~ 24=		
60W	4.5A	
.5% line load reg.		

A1-PS-2200-270-060

Power Supply 24VDC - 100W



L/W/H 7.9" X 3.9" X 1.5"

120~ 24=		
100W	4A	
.5% line load reg.		

A1-PS-2200-270-100

Power Supply 24VDC - 150W



L/W/H 7.8" X 4.3" X 2.0"

120~ 24=		
150W	6.5A	
.5% line load reg.		

A1-PS-2200-270-150

enclosed switching supply.
150mV Ripple / Noise max.

Power Supply Case



120~ 24=		

1-output power supply for
High Power LED AQUA (outdoor)

wiring of the power
supply case:

Each power supply can
power up to a max. of 6
High Power LED Aqua
fixtures. Each fixture
consumes 24Watts at
24VDC.

Internal power supply with
on board DMX receiver.
150Watt / 24VDC power
supply 96V-264V Primary.

Power Supply 24VDC - 200W



L/W/H 6.3" X 5.9" X 3.4"

120~ 24=		
200W	8.5A	
.5% line load reg.		

A1-PS-2200-270-200

Transformer 12VAC



L/W/H 2.5" X 1.6" X 1.6"

PS- 1180

120~ 12~	12V 700mA	
8.4VA	cable 7" prim. 7" sec.	Dimm- able
133°F max temp.	mounting holes 2.4" O.C.	 0.8lb

8.4VA A1-PS-1180-100-009

Transformer 12VAC



L/W/H 2.5" X 2" X 2" size may vary

PS- 1110

120~ 12~		wall adaptor
 n.a.	cable 60" sec.	dim- able
power 12V 1000mA	power 12VA	class 2 transf.

12VA A1-PS-1110-100-012

Transformer 12VAC



L/W/H 3.2" X 3" X 6.4" size may vary

PS - 1120

120~ 12~	ferrom. transf.	hard wire	 4.0 lb 50VA
			 5.0 lb 100VA
 n.a.	knock outs	dim- able	 7.0 lb 150VA
		enco- sures available	 10 lb 200VA

50VA PS-1120-100-050
100VA PS-1120-100-100
150VA PS-1120-100-150
200VA PS-1120-100-200

Transformer 24VAC (for Neon Flex)



L/W/H 5.0" X 3.0" X 2.75" size may vary

120~ 24~	power 100W	
 n.a.		rectifier incl.
primary cable 5 ft	sec. cable 6 ft	

PS-24VAC-100W-4A